


E-BABE-Proteomic Approach to Temporal Lobe Epilepsy in Kindling Models

Ayca Dilara Yilmaz

Ankara University, Turkey



Abstract

Temporal lobe epilepsy (TLE) is the most common type of epilepsy, with neuronal and abnormal neurogenesis accompanying the degeneration changes in the hippocampal circuitry and excitability. Although the exact causes of TLE are not known in most cases, TLE is thought to occur secondary to an initial injury, such as brain damage, tumors, meningitis, encephalitis, status epilepticus or childhood febrile seizures. The electrical kindling model of the amygdala is one of the experimental animal models that examine the development processes of TLE and is an accepted animal model in which epileptogenesis, epilepsy analysis and effectiveness of antiepileptic drugs are evaluated. There are a limited number of studies in the field of epilepsy with proteomics technologies. By proteomics, differentially expressed proteins and proteins that might enable or complicate the epileptogenesis process can be identified.



Biography:

Ayca Dilara Yilmaz is from Ankara University. She has a PhD. in Biotechnology and Molecular Biology. She is a post-doctoral researcher in Ankara University.

Speaker Publications:

1. Cascino, G.D. "Use of routine and video electroencephalography". *Neurol. Clin.*, 2001,19(2), 271–287.
2. Mathern, G.W.; Babb, T.L.; Leite, J.P.; Pretorius, K.; Yeoman, K.M., Kuhlman, P.A. "The pathogenic and progressive features of chronic human hippocampal epilepsy". *Epilep. Res.*, 1996,26(1), 151-161.
3. Bertram, E.H.; Mangan, P.S.; Zhang, D.; Scott, C.A.; Williamson, J.M. "The midline thalamus: Alterations and a potential role in lim-bic epilepsy". *Epilepsia*, 2001,42(8), 967-978.
4. Ladino, L.D.; Moien-Afshari, F.; Téllez-Zenteno, J.F. "A Comprehensive Review of Temporal Lobe Epilepsy, in *Neurological Dis-orders Clinical Methods*", 1st edn.; iConcept Press Ltd, 2014;pp. 1-35.
5. Akman, O.; Demiralp, T.; Ates, N.; Onat, F.Y. "Electroencephalographic differences between WAG/Rij and GAERS rat models of absence epilepsy". *Epilep. Res.*, 2010,89 (2-3), 185-193.

[30th International Conference on Neurology and Cognitive Neuroscience](#); February 24-25, 2020 London, UK.

Abstract Citation:

Ayca Dilara Yilmaz, E-BABE-Proteomic Approach to Temporal Lobe Epilepsy in Kindling Models, *Cognitive Neuroscience 2020, 30th International Conference on Neurology and Cognitive Neuroscience*; London, UK - February 24-25, 2020.

<https://neurocognitivedisorders.neurologyconference.com/abstract/2020/proteomic-approach-to-temporal-lobe-epilepsy-in-kindling-models>